

Doležal Pelhřimov s.r.o.

Specializovaná velkoprodejna a zásilková služba

Pelhřimov 393 01, Sdružená 2008

Tel. 565 322 100 Fax 565 322 102

www.dolezal-pe.cz



Nýťovací matice



Doležal Pelhřimov s.r.o.

Specializovaná velkoprodejna a zásilková služba

Pelhřimov 393 01, Sdružená 2008

Tel. 565 322 100 Fax 565 322 102

www.dolezal-pe.cz



Nýťovací matice

Ocelové / Steel

Steel
Large Head
Reduced Head
Large Head closed end
Steel Knuried
Large Head
Extra -Large Head
Reduced Head
Countersunk Head
Steel Hexagon
Large Head
Reduced Head
Large Head closed end
Steel Half Hexagon
Large Head
Reduced Head
Thin Sheet
Steel Trebol

Nerezové oceli/ Stainless steel

Stainless Steel
Large head
Reduced head
Large head closed end
Reduced head closed end
Stainless Steel Grooved
Large head
Reduced head
Countersunk head
Stainless Steel Half-Hexagon
Large head
Reduced head
Large head closed end
Reduced head closed end

Doležal Pelhřimov s.r.o.

Specializovaná velkoprodejna a zásilková služba

Pelhřimov 393 01, Sdružená 2008

Tel. 565 322 100 Fax 565 322 102



www.dolezal-pe.cz



Hliníkové / Aluminio

ALUMINIO
Flat Head
Reduced Head



STEEL LARGE HEAD OPEN END



D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 4	0,25 - 3,00	9,50	6,00	9,00	1,00	6,10	030110 4006
	3,00 - 4,50	12,25	6,00	9,00	1,00	6,10	030111 4006
M 5	0,25 - 3,00	12,00	7,00	10,00	1,00	7,10	030110 5007
	3,00 - 5,50	15,00	7,00	10,00	1,00	7,10	030111 5007
M 6	0,50 - 3,00	14,50	9,00	13,00	1,50	9,10	030110 6009
	3,00 - 5,50	16,50	9,00	13,00	1,50	9,10	030111 6009
M 8	0,50 - 3,00	16,50	11,00	16,00	1,50	11,10	030110 8011
	3,00 - 5,50	18,50	11,00	16,00	1,50	11,10	030111 8011
	5,50 - 8,00	22,50	11,00	16,00	1,50	11,10	030118 8011
M 10	1,00 - 3,50	17,50	12,00	16,00	1,70	12,10	030110 1012
M 12	1,00 - 4,00	25,00	16,00	23,00	2,00	16,10	030110 1016

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	2.836	5.150	3,0
M 5	3.816	8.600	7,0
M 6	5.707	10.620	12,0
M 8	10.156	12.300	23,0
M 10	10.473	15.000	39,0
M 12	12.914	27.500	54,0



STEEL REDUCED HEAD OPEN END



D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m		ART. N°
M 3	0,50 - 1,50	8,70	4,65	5,40	5,10	030120 3004
M 4	0,50 - 2,00	10,40	6,30	6,70	6,40	030120 4006
M 5	0,50 - 3,00	11,50	7,10	7,90	7,20	030120 5007
M 6	0,70 - 3,00	14,50	9,50	10,20	9,60	030120 6009
M 8	0,80 - 4,50	16,00	10,50	11,30	10,60	030120 8011

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 3	811	2.200	1,7
M 4	1.742	7.000	2,8
M 5	3.389	7.800	5,7
M 6	5.146	11.000	6,5
M 8	8.284	12.400	8,6



STEEL LARGE HEAD CLOSED END





D	 MAX. E m/m	L	d1	d2	K		ART. N°
M 6	0,5 - 3,00	21,50	9,00	13,00	1,50	9,10	030140 6009

d1	 (N)	 (N)	 (Nm)
M 6	2.940	5.480	12,0

STEEL GROVED LARGE HEAD OPEN END





D	 E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 3	0,25 - 2,00	9,75	5,00	7,50	1,00	5,10	037110 3005
M 4	0,25 - 3,00 3,00 - 4,50	9,50 12,25	6,00 6,00	9,00 9,00	1,00 1,00	6,10 6,10	037110 4006 037111 4006
M 5	0,25 - 3,00 3,00 - 5,50	12,00 15,00	6,90 6,90	10,00 10,00	1,00 1,00	7,10 7,10	037110 5007 037111 5007
M 6	0,50 - 3,00 3,00 - 5,50	14,50 16,50	8,90 8,90	13,00 13,00	1,50 1,50	9,10 9,10	037110 6009 037111 6009
M 8	0,50 - 3,00 3,00 - 5,50	16,50 18,50	10,90 10,90	16,00 16,00	1,50 1,50	11,10 11,10	037110 8011 037111 8011
M 10	0,50 - 3,50 3,50 - 6,00	19,50 21,50	13,00 13,00	19,00 19,00	2,00 2,00	13,10 13,10	037110 1013 037111 1013
M 12	1,00 - 4,00	25,00	16,00	23,00	2,00	16,10	037110 1216

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 3	1.535	2.600	2,2
M 4	3.282	5.900	4,5
M 5	4.649	8.900	5,8
M 6	6.562	11.320	18,0
M 8	9.450	12.100	34,5
M 10	10.715	15.000	60,0
M 12	12.728	28.200	70,0

STEEL GROOVED EXTRA-LARGE HEAD OPEN END





Zinc-Nickel
SPECIAL FOR PLASTIC




D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		COD.
M 4	0,40 - 4,50	17,70	8,95	18,30	1,50	9,10	03S110 6009



STEEL GROOVED REDUCED HEAD OPEN END



D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m		ART. N°
M 4	0,50 - 2,00	10,40	6,00	7,00	6,10	037120 4006
M 5	0,50 - 3,00	11,50	6,90	8,00	7,10	037120 5007
M 6	0,50 - 3,00	14,50	8,90	10,00	9,10	037120 6009
	3,00 - 5,50	16,50	8,90	10,00	9,10	037121 6009
M 8	0,80 - 4,50	16,80	10,90	12,00	11,10	037120 8011
M 10	0,70 - 3,50	20,80	13,00	14,00	13,10	037120 1013

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	2.786	5.950	2,9
M 5	3.942	8.340	6,0
M 6	5.675	9.960	10,5
M 8	8.525	10.600	15,5
M 10	9.320	14.200	18,0



STEEL GROOVED COUNTERSUNK HEAD OPEN END



D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 4	1,00 - 3,00	11,50	6,00	9,00	1,50	6,10	037130 4006
M 5	1,50 - 4,00	13,00	6,90	10,00	1,50	7,10	037130 5007
M 6	1,50 - 4,00	16,00	8,90	12,00	1,50	9,10	037130 6009
M 8	1,50 - 4,00	19,00	10,90	14,00	1,50	11,10	037130 8011
M 10	1,50 - 4,50	22,00	13,00	15,70	1,50	13,10	037130 1013

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	3.132	7.000	3,3
M 5	3.333	8.700	6,5
M 6	6.872	9.920	11,3
M 8	9.071	12.500	22,0




STEEL HEXAGON LARGE HEAD OPEN END





D	 MAX. E m/m	L m/m	S1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 4	0,25 - 2,00	10,00	6,00	9,00	1,00	6,10	031110 4006
M 5	0,50 - 3,00	13,00	6,90	10,00	1,00	7,10	031110 5007
M 6	0,50 - 3,00	14,50	8,90	13,00	1,50	9,10	031110 6009
M 8	0,50 - 3,00	16,50	10,90	16,00	1,50	11,10	031110 8011
	3,00 - 5,50	19,50	10,90	16,00	1,50	11,10	031111 8011
M 10	1,00 - 3,50	21,00	13,00	19,00	2,00	13,10	031110 1013
M 12	1,00 - 4,00	25,00	16,00	23,00	2,00	16,10	031110 1216

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	2.836	7.500	4,8
M 5	3.567	9.800	6,5
M 6	4.521	10.650	22,0
M 8	8.536	13.000	40,0
M 10	9.721	17.250	88,0
M 12	12.462	30.000	115,0


STEEL HEXAGON REDUCED HEAD OPEN END



D	 MAX. E m/m	L m/m	S1 Ø m/m	S2 Ø m/m		ART. N°
M 4	0,25 - 2,00	11,00	6,00	6,60	6,10	031120 4006
M 5	0,50 - 3,00	14,00	6,90	7,70	7,10	031120 5007
M 6	0,50 - 3,00	16,00	8,90	9,80	9,10	031120 6009
M 8	0,50 - 3,00	18,00	10,90	11,80	11,10	031120 8011
M 10	0,50 - 3,50	19,00	13,00	14,00	13,10	031120 1013
M 12	1,00 - 4,00	25,00	16,00	17,50	16,10	031120 1216

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	2.777	5.780	4,1
M 5	3.320	8.800	8,0
M 6	4.016	11.000	12,0
M 8	7.249	12.000	38,0
M 10	7.750	16.100	70,0
M 12	10.510	28.500	98,0

STEEL HEXAGON LARGE HEAD CLOSED END






D	 MAX. E m/m	L	S1	d2	K		ART. N°
M 6	0,50 - 3,00	21,50	8,95	13,00	1,50	9,10	031140 6009

d1	 m/m	 (N)	 (Nm)
M 6	2.940	5.480	12,0



STEEL HALF HEXAGON LARGE HEAD OPEN END



Chrome VI Free






D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 4	0,25 - 2,00	10,70	6,00	9,00	1,00	6,10	03311 0 4006
M 5	0,50 - 3,00	13,80	6,90	10,00	1,00	7,10	03311 0 5007
M 6	0,50 - 3,00	16,00	8,90	13,00	1,50	9,10	03311 0 6009
M 8	0,50 - 3,00	18,00	10,90	16,00	1,50	11,10	03311 0 8011
M 12	1,00 - 3,00	25,00	16,00	23,00	2,00	16,10	03311 0 1216

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4			
M 5			
M 6			
M 8			
M 12	12.500	28.000	115,0

STEEL HALF HEXAGON REDUCED HEAD OPEN END




Chrome VI Free





D	 MÅX. E m/m	L m/m	S1 Ø m/m	S2 Ø m/m		ART. N°
M 4	0,50 - 2,00	10,50	6,30	7,80	6,40	033120 4006
M 5	0,50 - 2,50	12,00	7,10	8,80	7,30	033120 5007
M 6	0,70 - 3,00	15,00	9,50	11,20	9,60	033120 6009
M 8	0,80 - 3,00	16,00	10,50	12,20	10,60	033120 8011

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	2.822	5.900	4,6
M 5	3.451	9.250	6,2
M 6	4.285	9.950	19,0
M 8	5.632	12.200	34,0



STEEL TETE PLANE HALF-HEXAGON OPEN END




D	 MAX. E m/m	L m/m	S1 Ø m/m	S2 Ø m/m		ART. N°
M 4	0,50 - 2,00	9,80	6,30	9,50	6,40	033150 4006
M 5	0,50 - 2,50	11,00	7,10	9,90	7,30	033150 5007
M 6	0,70 - 3,00	15,00	9,50	13,00	9,60	033150 6009

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4			
M 5			
M 6			



STEEL TREBOL LARGE HEAD OPEN END





D	 MÁX. E m/m	L	d1	d2	d3	K		ART. N°
m/m	m/m	m/m	Ø m/m	Ø m/m	Ø m/m	m/m		
M 6	0,50 - 7,00	25,40	8,50	16,00	9,60	1,50	9,70	030160 60095

d1			
Ø m/m	(N)	(N)	(Nm)
M 6	2.940	5.480	12,0



STAINLESS STEEL LARGE HEAD OPEN END



D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 4	0,25 - 2,00	10,00	6,00	9,00	1,00	6,10	030310 4006
M 5	0,50 - 3,00	12,00	7,00	10,00	1,00	7,10	030310 5007
M 6	0,50 - 3,00	14,50	9,00	13,00	1,50	9,10	030310 6009
M 8	0,50 - 3,00	16,00	11,00	15,00	1,50	11,10	030310 8011

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	3.246	5.500	3,1
M 5	3.460	8.900	6,9
M 6	6.141	10.650	12,1
M 8	8.708	12.600	19,3

STAINLESS STEEL REDUCED HEAD OPEN END





D		L	d1	d2		ART. N°
	m/m	m/m	Ø m/m	Ø m/m		
M 4	0,50 - 2,00	11,00	6,00	7,00	6,10	030320 4006
M 5	0,50 - 3,00	12,00	7,00	8,00	7,10	030320 5007
M 6	0,50 - 3,00	14,50	9,00	10,00	9,10	030320 6009
M 8	0,50 - 3,00	16,00	11,00	12,00	11,10	030320 8011

d1			
Ø m/m	(N)	(N)	(Nm)
M 4	2.385	6.000	2,2
M 5	3.012	8.100	3,2
M 6	5.158	10.120	5,8
M 8	6.815	14.000	15,6

STAINLESS STEEL


LARGE HEAD CLOSED END




D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 6	0,5 - 3,00	21,00	9,00	12,00	1,50	9,10	030340 6009



STAINLESS STEEL

REDUCED HEAD CLOSED END





D		L	d1	d2	K		ART. N°
	E m/m	m/m	Ø m/m	Ø m/m	m/m		
M 6	0,5 - 3,00	21,00	9,00	10,00	0,50	9,10	030370 6009

STAINLESS STEEL GROOVED LARGE HEAD OPEN END




D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 4	0,25 - 2,00	10,00	6,00	9,00	1,00	6,10	037310 4006
M 5	0,50 - 3,00	12,00	6,90	10,00	1,00	7,10	037310 5007
M 6	0,50 - 3,00	14,50	8,90	13,00	1,50	9,10	037310 6009
M 8	0,50 - 3,00	16,00	10,90	15,00	1,50	11,10	037310 8011

STAINLESS STEEL GROOVED REDUCED HEAD OPEN END




D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m		ART. N°
M 4	0,50 - 2,00	11,00	6,00	7,00	6,10	037320 4006
M 5	0,50 - 3,00	12,00	6,90	8,00	7,10	037320 5007
M 6	0,50 - 3,00	14,50	8,90	10,00	9,10	037320 6009
M 8	0,50 - 3,00	16,00	10,90	12,00	11,10	037320 8011

STAINLESS STEEL HALF-HEXAGON LAREG HEAD OPEN END





D	 MAX. E m/m	L	S1	d2	K		ART. N°
		m/m	Ø m/m	Ø m/m	m/m		
M 6	0,5 - 3,00	14,00	9,00	12,00	1,50	9,10	033310 6009


STAINLESS STEEL HALF-HEXAGON REDUCED HEAD OPEN END





D		L m/m	S1 Ø m/m	S2 Ø m/m		ART. N°
M 4	0,50 - 2,50	10,60	5,90	6,80	6,00	033320 4006
M 5	0,50 - 3,00	11,60	6,90	8,00	7,00	033320 5007
M 6	0,70 - 3,00	14,50	8,90	10,00	9,00	033320 6009
M 8	0,80 - 3,30	15,80	10,90	12,00	11,00	033320 8011


d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	3750	6500	4,9
M 5	4900	13000	8,8
M 6	8000	19000	15,5
M 8	8400	33000	26,5

STAINLESS STEEL HALF-HEXAGON LARGE HEAD CLOSED END





D		L	S1	d2	K		ART. N°
	MAX. E m/m	m/m	Ø m/m	Ø m/m	m/m		
M 6	0,5 - 3,00	21,00	9,00	12,00	1,50	9,10	033340 6009


STAINLESS STEEL HALF-HEXAGON REDUCED HEAD OPEN END



D		L m/m	S1 Ø m/m	S2 Ø m/m		ART. N°
M 4	0,50 - 2,50	10,60	5,90	6,80	6,00	033320 4006
M 5	0,50 - 3,00	11,60	6,90	8,00	7,00	033320 5007
M 6	0,70 - 3,00	14,50	8,90	10,00	9,00	033320 6009
M 8	0,80 - 3,30	15,80	10,90	12,00	11,00	033320 8011



d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	3750	6500	4,9
M 5	4900	13000	8,8
M 6	8000	19000	15,5
M 8	8400	33000	26,5


STAINLESS STEEL HALF-HEXAGON LARGE HEAD CLOSED END





D	 E m/m	L m/m	S1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 6	0,5 - 3,00	21,00	9,00	12,00	1,50	9,10	033340 6009



ALUMINIUM LARGE HEAD OPEN END



D	 MAX. E m/m	L m/m	d1 Ø m/m	d2 Ø m/m	K m/m		ART. N°
M 4	0,25 - 3,00	9,50	6,00	9,00	1,00	6,10	030210 4006
M 5	0,50 - 3,00 3,00 - 5,50	12,00 15,00	7,00 7,00	10,00 10,00	1,00 1,00	7,10 7,10	030210 5007 030211 5007
M 6	0,50 - 3,00 3,00 - 5,50	14,50 16,50	9,00 9,00	13,00 13,00	1,50 1,50	9,10 9,10	030210 6009 030211 6009
M 8	0,50 - 3,00 3,00 - 5,50	16,50 18,50	11,00 11,00	15,00 15,00	1,50 1,50	11,10 11,10	030210 8011 030211 8011

d1 Ø m/m	 (N)	 (N)	 (Nm)
M 4	2.201	5.000	2,0
M 5	2.780	7.600	5,5
M 6	5.124	9.000	9,0
M 8	5.425	11.700	16,9

ALUMINIUM REDUCED HEAD OPEN END



D	 MAX. E m/m	L	d1	d2		ART. N°
		m/m	Ø m/m	Ø m/m		
M 6	0,50 - 3,00	14,50	9,00	10,00	9,10	030220 6009

d1	 (N)	 (N)	 (Nm)
Ø m/m			
M 6	4.171	8.100	8,0